

Actionable Recommendations and Ambitious Directions for Restoring Planetary Health in the COVID-19 Era: IGES Position Paper 3.0

Key Messages

1. COVID-19's wide-ranging social, environmental, and economic impacts has led to calls for policymakers to restore planetary health.
2. The Institute for Global Environmental Strategies' (IGES) COVID-19 position paper 3.0 aims to help policymakers translate support for a healthy planet into actionable recommendations and ambitious policy directions.
3. The paper's recommendations begin with employing a "fire triangle approach" as a basis for strengthening monitoring of wildlife for infectious diseases; regulating bushmeat trade and consumption; and improving hygienic slaughtering practices. They also underline reorienting meat supply chains from industrial animal rearing to small-scale production and promoting sustainable diets.
4. Because SARS-CoV-2 is traceable in wastewater, other recommendations center on using "proactive" wastewater management to complement costly clinical testing for COVID-19 and other viruses. Installing efficient disinfection (e.g., chlorination, UV irradiation) has potential to prevent transmission of water-borne and other diseases.
5. Allocating stimulus funds to clean energy while ensuring climate ambitions translate into implementable actions that reduce post-lockdown emission rebounds.
6. Extending energy audits and greening buildings/infrastructure through retrofit programmes that install efficient insulation, heating, ventilation, and rooftop solar systems is needed to reduce emissions and deliver other benefits.
7. Continuing investments in electric transport and mobility infrastructure to drive renewable energy transition should be actively promoted. Active mobility (walking and cycling), public transport, and expansion of systems enabling digitalisation is also critical.
8. Fiscal transfers that motivate cities to invest in the above solutions and related industries can enhance climate mitigation and resilience while delivering other co-benefits.
9. Strengthening the integration between policies protecting ecosystems and the climate can support many of these recommendations. Greater cooperation between scientific assessments (IPCC and IPBES) and National Biodiversity Strategy and Action Plans (NBSAP) and Nationally Determined Contributions (NDCs) can foster this integration.
10. Concepts such as the Circulating and Ecological Sphere (CES) can offer a basis for more integrated actions and localisation of resource use patterns, strengthening coherence between ecosystem and climate policies at multiple levels.
11. Ensuring that these recommendations limit inequities requires strengthening debt relief efforts while expanding opportunities for meaningful inclusion of disadvantaged groups in ecosystem and climate policy decisions.

I. Introduction

The novel coronavirus disease (COVID-19) pandemic has caused immense suffering and loss in nearly every corner of the globe. As of July 2021, the world has witnessed over 180 million confirmed COVID-19 cases and over 4 million related deaths (Center for Systems Science and Engineering at Johns Hopkins, 2021). The pandemic's *economic* impacts have also been stark and sobering. Perhaps the most striking of these impacts is a rise in global poverty rates for the first time since 1997 (Kharas & Dooley, 2021). On the other hand, the 2021 rollout of efficacious vaccines for SARS-CoV-2 have offered some countries and communities hope that a sustainable COVID-19 recovery may be on the horizon.

Some unpleasant realities should nevertheless temper this cautiously optimistic outlook. One of the more worrying realities is that the global vaccine rollout has been sharply uneven: as of September 2021, over 80% of the population was at least partially vaccinated in some countries (such as the United Arab Emirates and Portugal), while in other countries (such as Kenya, Nigeria, and Tanzania) less than 4% have had access to a single dose (Our World In Data, 2021).

As the above text implies, not only is the world likely to live with COVID-19's wide-ranging impacts, but policymakers need to become more adept at managing these diverse impacts. To some extent, the need to act on a range of COVID-19's consequences has been recognized. As suggested in Figure 1, a defining feature of the pandemic is it has not only affected public health but other dimensions of sustainable development. One of the dimensions with a strong interrelationship with COVID-19 is the environment. In fact, some have argued that a sustainable solution to COVID-19, the prevention of future pandemics and even the climate crisis requires restoring planetary health (Brown & Horton, 2020; Waugh, Lam, & Sonne, 2020).

There is nonetheless a risk that calls to restore the health of the planet run into strong opposition. These risks are arguably aggravated by the need to strengthen links between those advocating for planetary health and actionable and ambitious reforms consistent with these claims. A critical question for policymakers navigating the quickly evolving COVID-19 landscape is how to generate support from a broad coalition of stakeholders with interests in these multiple issues for actionable yet ambitious recommendations capable of overcoming possible opposition.

This paper—the third in a series of Institute for Global Environmental Strategies COVID-19 position papers¹—aims to policymakers recommendations toward these ends. The proposed recommendations intend to limit opposition by capitalizing on interrelationships between the environment, health, and other dimensions of sustainable development.

¹ Since the start of the pandemic, the Institute for Global Environmental Strategies (IGES) has published two COVID-19 position papers on related themes. The first paper outlines some of the environmental implications using a short-term, medium-term, and long-term frame, while the second paper builds on this with the introduction of the Triple R Framework (response, recovery, and redesign) to help policymakers frame decisions that will address not only near-term but long-term threats to sustainability.




Figure 1. The Multi-Dimensional Impacts of COVID-19 Based on Zhou and Mustafa, 2021

The paper also uses Figure 1 to help organize relevant insights and recommendations with the potential to move past opposition. Figure 1, which draws upon IGES interlinkages tool, offers a color-coded illustration of positive (green) or negative (purple) relationships between the COVID-19 crisis and different Sustainable Development Goal (SDG) indicators (see, for example, Zhou and Mustafa, 2021). Much like the SDGs themselves, it therefore provides a broad overview of COVID's interrelationships with many issues.

As also suggested in Figure 1, after a review of the core concepts of planetary health and One Health, it offers recommendations related to green and blue issues--ecosystems and water systems in section 3. It then offers suggestions in section 4 on how to maintain modest momentum in allocating stimulus funds to interventions to address brown and grey issues--protecting the climate and curbing air pollution. The final section reflects on how to integrate protecting ecosystems and the climate while also ensuring developing countries and disadvantaged stakeholders are not left behind in the process. The paper draws heavily on research and initiatives undertaken at IGES over the past 18 months (with an emphasis on the past eight months).

2. Planetary Health and One Health: Toward Actionable Recommendations and Ambitious Directions

The unprecedented impact of COVID-19 has led many policymakers to reflect on the importance of more coordinated, systemic approaches to managing public health. This reflection has also motivated experts and policymakers to focus attention on the transdisciplinary study of “planetary health.” The term planetary health was conceived less than a decade ago to suggest that human health and wellbeing depends on the health of nature, biodiversity and ecosystems; sustaining ecosystems requires recognizing and acting on the interdependencies between natural and socioeconomic systems (Whitmee et al., 2015) . High-profile reports such as United Nations Environment Programme’s Global Environmental Outlook (GEO) have stressed similar interlinkages in arguing that healthy people require a healthy planet (UN Environment, 2016).

Advocates of planetary health recognise that making these linkages is a significant undertaking which necessitates support from diverse stakeholders in order to overcome opposition from well-placed interests. They nonetheless differed on how to make progress. Some sought to harness emerging voices by calling for “powerful social movement based on collective action at every level of society,” (Horton et al., 2014) while others cautioned against forgetting the “recognition, inclusion, coordination, and strengthening of *existing* social movements” (Schuftan, Legge, Sanders, & Nadimpally, 2014). Yet a third more top-down perspective contended that the world needed a “global treaty” grounded in the principles of planetary health (Burkle, 2014). These suggestions shared laudably bold ambitions in new or existing social movements or international agreements to bring about a healthy planet that delivers good health for all. But, because they arguably subscribed to an overly anthropocentric worldview (Lerner & Berg, 2017), they may have placed unrealistic faith in humans to transform the environment and related policies. In the same vein, they may have offered limited details on how health and environmental policymakers with more balanced less human-centred perspectives could collectively inform the policies contributing to this process.

One Health—a similarly motivated whole-system approach that predates, but largely informed the concept of planetary health—is also instructive in that it offers insights on where decision makers with different training and expertise can contribute to the above process. Much like planetary health, One Health uses an interdisciplinary lens that draws together insights from the biological, ecological, climate, and social sciences to identify causes and solutions to interrelated threats across multiple dimensions of health (Lerner & Berg, 2017). Yet, even more than planetary health, it stresses the need to work across three evenly weighted and interlinked policy concerns—human, animal, and environmental health—as a precondition for a healthy planet and people. It further points out the active role of medical and animal health professionals in collaborating with environmental specialists and policymakers to achieve this outcome (Kahn, Kaplan, Monath, Woodall, & Conti, 2014). The key to moving forward is to marry the ambitious aspirations set forth by advocates of planetary health with the need to work across policymakers underpinning the One Health view to arrive at policy recommendations.

Combining the strengths of planetary health and One Health have gained traction as policymakers have sought to understand drivers of the pandemic in the context of their green recovery efforts. Some of that reflection has centred on broad-based concerns that human encroachment on natural habitats could increase the risk of future pandemics (Kumar et al., 2020) (See Figure 2). Researchers have, for instance, offered ambitious visions of how to limit that encroachment by suggesting a need for governments at different levels “...to respond to emergencies and to the long-term processes that denigrate health and environment...and perhaps international, Marshall-like planning (i.e., a programme to provide economic rescue on a large scale) to reconfigure food production...[and other systems]” (Hinchliffe, Manderson, & Moore, 2021). Others have opted for more narrowly drawn policies and measures that target possible contributors to the pandemic such as wet markets. The next section of the paper highlights some recommendations based on IGES and partner research and initiatives that start narrowly and grow in scope and ambition to restore the health of the planet, creating conditions that enable healthy societies.




Figure 2: One Health, an integrated approach linking human, animal, and environmental health. Source: authors, based upon Bonilla-Aldana, Dhama, & Rodriguez-Morales, 2020

3. Using Planetary Health and One Health to Manage and Prevent Pandemics

Some of these recommendations centre on taking action on potential risk factors of zoonosis. While the exact origins of the virus behind COVID-19 (SARS-CoV-2) remain in dispute, many outbreaks in recent years, including SARS, MERS, and H1N1 Influenza, are attributable to zoonotic

transmission across species from animals to humans. In COVID-19's case, evidence suggests that SARS-CoV-2 is genetically similar to related coronaviruses identified in certain bat species; thus, this particular case of zoonosis may have originated in bats (Andersen, Rambaut, Lipkin, Holmes, & Garry, 2020; Lu et al., 2020; Maxmen, 2021; Shereen, Khan, Kazmi, Bashir, & Siddique, 2020; Tang et al., 2020; Wu et al., 2020). Using the One Health lens, it is clear that addressing or preventing zoonotic disease risks as well as their impacts involves actions at the intersection between human, animal, and environmental health.

3.1 Reducing Health Risks Associated with Human-Animal Contact in Wet Markets

At the community level, a critical next step for policymakers is how to manage potential zoonotic risks that could arise at the human-animal interface--for instance, at markets that sell animals (or their meat) that are considered to be "high risk". One of the decision-making frameworks that can help in this regard by addressing the most direct risks is based on the "fire triangle approach." This approach is so-named because, just as addressing the three elements of heat, oxygen, and fuel can prevent fires, targeting bushmeat, wet markets, and disease (three potential sources of zoonosis) may help reduce its risk. Some of the concrete recommendations that come out of using this framework include stronger national and international monitoring of wildlife for infectious diseases and regulating bushmeat trade and consumption. Other similarly well-defined steps include the uptake or more hygienic and careful slaughtering practices, improved caging conditions, increased awareness of possible risks among bushmeat vendors, transporters, and the public as well as proper animal waste and wastewater management.




Figure 3: Fire Triangle Approach. Source: Peros, Dasgupta, Kumar, & Johnson, 2021

In addition to taking concrete actions on wet markets, a complementary set of steps with environmental and health benefits is reducing excessive meat production and consumption

(especially in high-income populations) (Peros et al., 2021; Petrikova, Cole, & Farlow, 2020; Willett et al., 2019). Arguing that banning wet markets outright may only incentivise unregulated trade of live animals in the black market, Petrikova et al. (2020) highlight the potential of small-scale animal husbandry, which is thought to be less polluting and less resource-intensive than industrial animal rearing along the supply chain. Because of the limits on production, it is also associated with less meat consumption (Petrikova et al., 2020).

Limiting meat production makes sense from the health perspective: many epidemiological studies have linked red meat consumption to health risks such as cardiovascular disease, colorectal cancer, and type II diabetes (Richi et al., 2015), and limiting meat consumption to 35 g per day has been associated with living longer (Willett et al., 2019). At the same time, reducing meat consumption has climate and other environmental benefits because livestock rearing contributes to methane emissions (Petrikova et al., 2020; Willett et al., 2019) and often land clearing and other land-use change. In view of these benefits, restructuring food systems away from industrial animal farming and toward local, small-scale farms, as well as promoting healthier diets with less meat, presents an opportunity to improve human and environmental health.

3.2 Managing Wastewater and Aquatic Ecosystems for a Healthier Environment

Another set of actionable recommendations at the human-environment interface involve wastewater and water management. Evidence suggests that appropriate wastewater management may be key to monitoring and controlling ongoing infections, and potentially mitigating future health risks. SARS-CoV-2 has been found to survive in treated and untreated water (Bao & Canh, 2021; M. Kumar et al., 2021; Panda, B., Chidambaram, S., & Malakar, 2021; Takeda et al., 2020). As illustrated in Figure 4, this virus and viral RNA may travel through the water and wastewater service sector through multiple channels. While no cases of water-borne transmission of COVID-19 have been documented to date, since 1.8 billion people worldwide use faecal-contaminated water sources for drinking (Bhowmick et al., 2020), safer water management practices are nevertheless vital for improving health and safety of people and the planet.




Figure 4: Potential routes of SARS-CoV-2 exposure with respect to the water and wastewater services sector Source: Authors, based on Bao and Canh, 2021

A related reason to strengthen wastewater management is it can help track COVID-19 and potentially other viruses. Experience has shown that the evidence of viable virus and RNA in wastewater can be used to understand the scale of transmission. The best way to access this evidence for not only the current wave of COVID-19 but future viruses is moving from conventional “reactive” to “proactive” wastewater management. Such proactive approaches could include introducing a regular virus surveillance system along the wastewater service chain to assess the occurrence, trends, and hotspots for COVID-19. Some parts of the United States have demonstrated this approach can be successfully employed to complement costly and time-consuming clinical diagnostic testing for COVID-19 (Wu et al., 2021), and a COVID-19 sewage surveillance program is already in operation at the subnational level in Australia (see New South Wales Government, 2021, for example). Again, they may have even more utility to safeguard against future risks.

Another set of similarly motivated interventions that have implications for not simply COVID-19 but human and environmental health involve the operation of wastewater treatment plans. For instance, efforts should be made to enhance safety at treatment, including installing efficient disinfection (e.g., chlorination, UV irradiation, ozonation disinfection) plants that receive domestic wastewater from COVID-19 related facilities. Measures for protecting the health of sanitation workers of water and wastewater treatment facilities and water/wastewater service providers is another important short to medium-term step in this direction. Over the long term, policymakers would be wise to invest in improved sanitation systems and more effective water

quality control measures and introduce improved domestic wastewater treatment facilities with appropriate disinfection systems in vulnerable areas and locations.

Another, albeit slightly different, way that COVID-19 has impacted the health of the planet involves aquatic ecosystems. In this case, lockdown measures and accompanying cessation of socioeconomic activities in some parts of the world have had inadvertent impacts on water quality and productivity (Ramanathan et al., 2021). Studies have shown, for instance, that the temporary halting of economic activity on water quality (river, lagoon) has led to reductions in bacteria and water pollution (*E. coli*, BOD, DO, COD) in some locations (Vidyardhi, Parashar, Ranjan, & Ramanathan, 2021). Similar to discussions of retaining reductions in CO₂ and air pollution featured in the next section, allocating resources to reduce inevitable rebounds in water pollution and retain some improvements in water productivity would help retain these gains. This could also contribute to building resilience to climate change and other planetary and health challenges.

3.3 Policy and Governance Recommendations to Preserve Ecosystems

To some extent, the question of retaining these gains involves how successfully policymakers translate the principles of planetary health and one health into policy and governance reforms that protect ecosystems beyond the sector-specific options in previous subsections. This will be particularly important for preventing future pandemics and limiting the human encroachment on ecosystems that some see as more broadly responsible for COVID-19 and zoonosis. Some of the policies that have the potential to leverage possible synergies between environmental and human health and preserve ecosystems involve promoting improved techniques for valuing nature; employing fiscal and regulatory instruments to raise finance for restoring ecosystems; and using strategic information, risk communication and awareness raising to build public and policymaker support around these reforms (Whitmee et al., 2015; Machalaba et al., 2021).

Other recommendations go beyond simple policies to more expansive governance reforms that influence how policies are formulated and implemented. In this connection, central governments will not only have to increase financial support for ecosystem protection and preservation but should also afford subnational authorities some flexibility in responding to local safety and security challenges arising from COVID-19 and potentially other multi-dimensional threats. Similarly, strengthening stakeholder engagement mechanisms—further discussed in section 3 of this paper—could help building support across the human, animal and environmental health communities. Fitting with the overall argument of the paper, these mechanisms could strengthen alliances across professionals and work concretely on activities with implications that include but go beyond COVID-19 such as the co-design of health screening and assessments (Sudatip et al., 2021).

A related set of governance reforms should centre on mobilising different actors in carrying out the above actions would prove more effective with collaborative, multi-level governance. Effective coordination across levels of decision making will be particularly helpful for ensuring a steady supply of transparent data, especially for the early detection of diseases. Systematising national and international reporting on transdisciplinary research on issues such as diagnosis,

treatment, and disease prevention involving stakeholders in the human, animal, and environmental health could all help to, once again, translate the ambition of planetary health and One Health from abstract concept into a concrete and actionable reality (Charron, 2012).

4. Stabilising the Climate

4.1. Moving from Code Red to a Green Recovery and Redesign

As outlined in the previous section, in addition to relatively focused, actionable interventions, more ambitious reforms targeting the human-animal-environment interface remain critical for addressing immediate and longer-term threats to human and planetary health. Another area where working across multiple policy areas is needed relates to the climate emergency. According to the recent release of the First Working Group Sixth Assessment Report of the Intergovernmental Panel on Climate Change (IPCC), this task has become even more urgent: there is no longer time to delay transformative change. The world is facing what has aptly been termed a “code red” (IPCC, 2021).

While COVID-19 lockdowns and the associated halting of economic activity have had modest near-term effects on harmful emissions, well designed pandemic stimulus packages will arguably be the most effective at curbing greenhouse gases and pollutants over a longer time period. As part of the Energy Policy Tracker, IGES has worked with international partners to analyse stimulus packages, focused chiefly on the energy sector, in various G20 countries. Research findings have revealed largely negative, but also some encouraging news for the climate. In terms of the bad news, G20 countries have allocated about US\$290 billion to fossil fuels. Further, this funding has largely been “unconditional”, meaning that it does not take in account climate or pollution reduction requirements. The good news is that G20 countries have also set aside nearly US\$235 billion for clean energy. Moreover, as illustrated in Figure 5, is that the percentage of resources dedicated to clean energy recorded in the Energy Policy Tracker has grown moderately over time to 44% from an initial 37% starting point (though somewhat down from 47% in March 2021). Similar to the conclusions drawn in the previous section, continuing this upward momentum necessitates both ambitious and actionable recommendations that leverage synergies across multiple dimensions of development (IISD et al., 2021).




Figure 5: Allocation of G20 Energy-Related Stimulus Funding Over Time. Source: Authors. Data Taken from IISD et al., 2021

4.2 Strengthening Climate and Clean Energy Policies

To some extent, governments that have earmarked funding for clean energy have also made pledges for stronger climate action. For example, at the Leaders' Summit on Climate convened by the United States in the lead up to the 2021 United Nations 26th Conference of the Parties (COP26), an increasing number of countries reaffirmed their commitment to meeting their emissions reduction goals. Further, more stringent reductions targets have been incorporated in Nationally Determined Contributions (NDCs). Countries have an opportunity to further raise the ambition of their NDCs by allocating stimulus funds towards reforms that decarbonise energy systems. There is no shortage of options for doing so: whether updating carbon tax regimes, investing in clean energy infrastructure, or divesting from fossil fuels, governments have multiple instruments at their disposal. Policymakers facing opposition can counter their detractors with examples of the numerous benefits resulting from many of these reforms (discussed in greater detail elsewhere in this section). More decisive action also needs to be encouraged given that there is still a significant gap in reaching the 1.5°C goal set out by the Paris Agreement (IPCC, 2018). A further hurdle is that the CO₂ emissions reductions initially associated with pandemic lockdowns have since rebounded in many countries (see Figure 6).




Figure 6: Trends in global GDP, total primary energy demand, and energy-related CO₂ emissions, relative to 2019 Source: IEA, 2021

A possible source of actionable recommendations that could help narrow shortfalls, limit rebounds and sustain the moderate momentum of green spending in the lead up to the COP26 is the Platform for Redesign 2020 (PLATFORM for REDESIGN, 2021). The Platform for Redesign is an online initiative led by the Government of Japan, supported by the UNFCCC, and managed by IGES that invites national governments to share and showcase policies and measures relevant to achieving a sustainable and resilient recovery from COVID-19. Many of the recommendations that follow can be found on the Platform for Redesign.

4.3 Strengthening Building and Infrastructure Policies

Some of the options highlighted in the Platform for Redesign and elsewhere reference increasingly important actions in the green building sector. Greening buildings and infrastructure have numerous benefits for addressing climate change and many other development priorities, thereby contributing to restoring planetary health. Green retrofit programmes, for instance, can help stimulate the domestic economy, generate local jobs and offer long-term multiplier effects for other development concerns. Importantly, stimulus funding could spur momentum for more retrofitting of building stock. To illustrate, countries such as France and the United Kingdom have devoted resources to improving energy efficiency in buildings through green retrofit programmes (US\$30.6 billion) that aim to install insulation, heating, ventilation, and rooftop solar systems; energy audit work has also been implemented to great effect (O’Callaghan & Murdock, 2021). Equally important, efforts to leverage the COVID recovery funding towards driving forward these reforms have not been limited strictly to developed countries. Lao PDR has also promoted environmentally friendly and clean/hygienic housing and green spaces as part of its recovery efforts (PLATFORM for REDESIGN, 2021).

3.4 Strengthening Transport Policies

The stimulus can also be used to promote greener, cleaner and healthier transport. Some of the most promising transport investments have been made in electric mobility and supporting infrastructure--with some high-income countries advancing these transport initiatives as part of broader renewable energy transition. Yet, it should be borne in mind this system transition perspective was largely not seen in low- and middle-income counterparts. Another set of actions in many countries is the finance of infrastructure for active mobility and public transport. Countries such as the Philippines have focused on bolstering public transport--an area that may have been hit particularly hard by declining ridership. Another area where programmes such as the NextGenerationEU can help reduce transport emissions is digitalisation--both through the expansion of the information and communication industry (Asakawa & Kuriyama, 2021) as well as other industries.




Figure 7: Trends in the Transport Sector. Source: IGES, based on data from the Platform for Redesign 2020 (as of January 2021)

Another key to capturing the full range of benefits includes actionable recommendations for cities. Cities are the forefront of action, well-placed to connect climate and other development goals. In some countries, temporary improvements in air quality resulting from pandemic lockdowns have also led to opportunities for enacting measures that sustain these improvements over time. For instance, Jakarta, Indonesia, a city that routinely suffers from poor air quality, has introduced reforms that aim to reduce congestion and curb demand for personal motorised transport that have gained momentum due to COVID-19. Such policies contributing to long-term improvements in air quality are exemplars of planetary health in practice at the local level, providing lasting benefits for both the environment and the health of citizens. Unfortunately,

similar to CO₂, some rebounds have also been observed with respect to air pollution, particularly levels of nitrogen dioxide (NO₂) (The European Space Agency, 2021). Given that most of the gains in air quality have been due to lockdowns, lasting air quality improvements will require a transition away from fossil fuel-based industrial processes, energy production, and transportation.

5. Integration and Inclusion

As emphasised in the previous sections, the health of the planet – and all those who inhabit it – depend on addressing the climate crisis with a greater aim of boosting the resilience of ecosystems on which all of life is based. Restoring planetary health for a sustainable and healthy future for all requires both sectoral and spatial integration, as well as social inclusion.

5.1 Integration: Bringing Together Ecosystems and Climate

Some actions focus on strengthening policy integration, aimed towards holistically tackling environmental crises on which human health is inextricably linked. Since 2004 the COP to the CBD has discussed and issued decisions on such linkages, with the Convention producing numerous publications on the topic. These issues have been amplified over many decades by the rhetoric of major conservation NGOs such as IUCN and WWF. Recently the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES) and the IPCC made an important contribution by jointly convening a workshop and producing a report on the topic of biodiversity and climate change; one of the 21 proposed targets of the soon-to-be-adopted post-2020 global biodiversity framework under the CBD is in fact dedicated to maximising these synergies. Likewise, two of the 20 targets of the GBF's predecessor, the Strategic Plan for Biodiversity 2011-2020, also link to climate change. This may be why various countries have incorporated climate change in their national biodiversity strategies and action plans (NBSAPs). It is hoped that the GBF will encourage further coherence, including between NDCs and NBSAPs.

A useful way to promote synergistic actions towards biodiversity and climate change targets could be the creation of self-reliant and decentralised local communities through a concept known as the circulating and ecological sphere (CES). By fostering decentralised communities that conserve energy and resources over the lifecycle of goods and services, CES can help in reducing emissions as well as enriching the natural vitality of landscapes and seascapes. Further, CES and similarly motivated concepts can spread with increased funding and other forms of support from higher-level national policies and international processes. Hence, one of the keys to improved horizontal integration across issues such as ecosystem protection and climate change is greater vertical integration between local, national, and international levels of decision making. This can be achieved, by way of example, through budget tagging of fiscal transfers for multiple SDGs.

5.2 Social Inclusion: Toward a Sustainable Future for All

Sectoral and spatial integration will not be all that is needed. The pandemic further highlighted the need to focus greater attention on the social dimensions of crises, as exemplified by reports of disadvantaged groups being most at risk of exposure to the virus and/or experiencing more

severe health outcomes (see, for example, Raifman & Raifman, 2020). In the environmental policy sphere, long before the COVID-19 crisis, a key concern has been how to address impacts among disadvantaged groups and populations, who are often disproportionately exposed to pollutants. While environmental justice issues, especially at the subnational level, warrant a more detailed discussion that falls beyond the scope of this paper, it is critical to recognise that pre-existing social and economic inequities may be exacerbated by shocks like COVID-19 and responses to such shocks.

In addition to disproportionate impacts on vulnerable populations within countries, some analyses have further suggested that public funds for pandemic recoveries could actually widen socioeconomic gaps across countries. Research on the effects of COVID-19 recovery in Bangladesh and the Republic of Korea has underlined why this might be the case. The study found that Bangladesh concentrated chiefly on its most immediate needs such as supporting the livelihoods of vulnerable people and the operations of small and medium enterprises (SMEs), but did not include potential impacts on sustainability concerns such as rising industrial pollution and ecosystem degradation in its recovery plans. On the other hand, the Republic of Korea leveraged its fiscal capacity to invest in projects and programmes that seek to strengthen social protection, ensure full and productive employment, expand renewable energy, and preserve ecosystems (Zhou & Moinuddin, 2021). This specific example echoes fears that the pandemic gives way to K-shaped recoveries where those who benefit the most from government support have the fewest needs, while low-income and marginalised populations get left further behind and have increasingly limited chances at a sustainable (Titimur, 2020).

Similar to enhancing integration between biodiversity and climate change, there is also potential to take steps at the international level that will help to avoid K-shaped recoveries across countries. Such recoveries see high-income countries (and communities) experience significant improvements in development following a crisis and follow a development path tracing the upward sloping part of the K. In contrast, lower-income countries follow the downward sloping part of K and fall further behind. While the full environmental impacts of this polarisation depend on various factors and thus require further research, the stagnation or regression of economies in lower-income countries has potentially detrimental implications for the availability of national financing to address environmental crises and ultimately achieve a sustainable future for all.

The concern of K-shaped recoveries is accentuated by inequities in vaccine access, especially in the face of emerging COVID-19 variants. While immunisation has helped lower the burden of disease, the virus has continued to replicate and mutate among unvaccinated or otherwise susceptible individuals: in the summer of 2021, the Delta variant, which due to relatively greater transmissibility even among the vaccinated (Center for Disease Control, 2021), has quickly spread across the world and possibly led to a decline in vaccine efficacy (World Health Organization, 2021). A related cause for concern is that the emergence of the Delta variant has led some high-income countries to move ahead with administering booster doses (Kar-gupta & Copley, 2021), despite the World Health Organization's (WHO) statement that this "will exacerbate inequities" (World Health Organization, 2021). Vaccine inequity may further widen the gap between high-income and low-income countries and communities, a situation in which high-income countries enjoy an economic rebound, while low-income (and resource-poor) countries continue to be

severely burdened by disease and thereby left behind.

To counter this trend, one familiar set of proposals that have been given renewed attention is forgiving debts that have accumulated in the wake of the pandemic in many developing countries. A related set of options involves using a broader set of sustainability indices to assess the credit worthiness of countries, thereby encouraging all countries to think and act with longer term prospects of planetary health in mind. Many of these options are referenced in the Addis Ababa Action Agenda on Financing for Development, for example.

Similar to the integration of environmental agendas (climate, ecosystems, etc.), some of the most influential reforms take into account the issue of social equity in national and local decisions. This is already happening to an extent with climate change in countries such as the United States that framed its recent climate policies around creating jobs. While much of the analysis looking at the potential for job creation has focused on energy-related employment, considerable scope exists to promote a wider variety of environmentally sustainable jobs that help preserve ecosystems and prevent disasters. Job creation programmes will need to be supported by social dialogue between different stakeholders, as well as training and job matching programs that facilitate an expanded view of just transition. Such a view helps not simply those working in fossil fuel related industries but other low-wage sectors with limited prospects for upward mobility and sustainable incomes.

Finally, in promoting this more expansive view of a just transition and given the disproportionate impacts that disadvantaged groups face, it will be equally important to become more socially inclusive in relevant decisions. This is happening in countries such as the United Kingdom and France where efforts have been made to create climate citizenship councils. Researchers can also extend efforts for co-design and co-implementation strategies that aim to protect the climate and preserve natural resources to disadvantaged groups and social segments. Social inclusion can help strengthen sectoral integration.

5.3 Concluding Thoughts

Going forward, it may be prudent to analyse the environmental implications of several potential scenarios outlining the trajectory of the pandemic. Depending on the efficacy of interventions such as global vaccine rollouts, COVID-19 may become manageable to the point where economies and societies more or less return to pre-pandemic conditions within a few years. Alternatively, if interventions cannot respond effectively to the evolving public health situation such as emerging variants of concern, pandemic-era restrictions on certain economic activities may continue during waves of infection, potentially leading to new kinds of economic activities that are in better alignment with the COVID era. Meanwhile, it is also possible that another global public health crisis may emerge concurrently or after the COVID-19 pandemic is over. Future work on how such scenarios can impact economic and societal structures and consequently the environment may be instructive in assessing which actions are feasible and/or should be prioritised.

While much remains uncertain about the evolution of this pandemic, it is clear that we are urgently required to introduce and implement measures that reconstruct the economy and

society into a decarbonised, disaster-resilient society operating within planetary boundaries and grounded on the principle of planetary health. These measures should contribute to the transition to a decarbonised society and the realisation of the SDGs amidst rapid global changes and uncertain extreme weather conditions.

- Andersen, K. G., Rambaut, A., Lipkin, W. I., Holmes, E. C., & Garry, R. F. (2020). The proximal origin of SARS-CoV-2. *Nature Medicine*, 26(4), 450–452. <https://doi.org/10.1038/s41591-020-0820-9>
- Asakawa, K., & Kuriyama, A. (2021). Analysis on Sustainability of Teleworking Lifestyle during a declaration of a COVID-19 emergency (コロナ禍の状況を踏まえたテレワークの継続的な実施可能性の検討). *Review of Environmental Economics and Policy Studies*, 1(SEEPS: 環境経済政策学会).
- Bao, N., & Canh, V. . (2021). Addressing potential risks associated with water and wastewater services. In A. . Ramanathan, S. Chidambaram, M. P. Jonathan, M. V. Prasanna, P. Kumar, & F. M. Arriola (Eds.), *Environmental Resilience and Transformation in Times of COVID-19 – Climate Change Effects on Environmental Functionality*. Elsevier B.V.
- Bhowmick, G. D., Dhar, D., Nath, D., Ghangrekar, M. M., Banerjee, R., Das, S., & Chatterjee, J. (2020). Coronavirus disease 2019 (COVID-19) outbreak: some serious consequences with urban and rural water cycle. *Npj Clean Water*, 3(1), 32. <https://doi.org/10.1038/s41545-020-0079-1>
- Bonilla-Aldana, D. K., Dhama, K., & Rodriguez-Morales, A. J. (2020). Revisiting the one health approach in the context of COVID-19: a look into the ecology of this emerging disease. *Advances in Animal and Veterinary Sciences*, 8, 234–237.
- Brown, A., & Horton, R. (2020). A planetary health perspective on COVID-19: a call for papers. *Lancet*, 395(10230). [https://doi.org/10.1016/S0140-6736\(20\)30742-X](https://doi.org/10.1016/S0140-6736(20)30742-X)
- Burkle, F. M. (2014). A manifesto for planetary health. *Lancet*, 383(9927), 1459.
- Center for Disease Control. (2021). Delta Variant.
- Center for Systems Science and Engineering at Johns Hopkins. (2021). COVID-19 Dashboard.
- Charron, D. F. (2012). Ecohealth Research in Practice. In C. D. (Ed.), *Ecohealth Research in Practice. Insight and Innovation in International Development, Insight and Innovation in International Development*, vol 1. New York, NY: Springer.
- Hinchliffe, S., Manderson, L., & Moore, M. (2021). Planetary healthy publics after COVID-19. *Lancet, Planetary Health*, 5(4), e230-e-236.
- Horton, R., Beaglehole, R., Bonita, R., Raeburn, J., McKee, M., & Wall, S. (2014). From public to planetary health: a manifesto. *Lancet*, 383(9920), 845–926. [https://doi.org/10.1016/S0140-6736\(14\)60409-8](https://doi.org/10.1016/S0140-6736(14)60409-8)
- IEA. (2021). *Global Energy Review 2021*. Paris.
- IISD, IGES, OCI, ODI, SEI, Columbia University, & Energy, S. C. on G. (2021). Energy policy tracker. Retrieved December 18, 2020, from <https://www.energypolicytracker.org/>
- IPCC. (2021). *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* (R. Y. and B. Z. Masson-Delmotte, V., P. Zhai, A. Pirani, S. L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M. I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J. B. R. Matthews, T. K. Maycock, T. Waterfield, O. Yelekçi, Ed.). Cambridge, United Kingdom.
- Kahn, L. K., Kaplan, B., Monath, T., Woodall, J., & Conti, L. (2014). A manifesto for planetary health. *Lancet*, 383(9927), 1459.
- Kar-gupta, S., & Copley, C. (2021, August). Ignoring WHO call, major nations stick to vaccine booster plans. *Reuters*. Retrieved from <https://www.reuters.com/world/europe/french-president-macron-third-covid-vaccine-doses-likely-elderly-vulnerable-2021-08-05/>
- Kharas, H., & Dooley, M. (2021). *Extreme Poverty in the Time of COVID-19*.
- Kumar, M., Alamin, M., Kuroda, K., Kiran, D., Hata, A., Yamaguchi, H., & Honda, R. (2021). Reply: Potential discharge, attenuation and exposure risk of SARS-CoV-2 in natural water bodies receiving treated wastewater. *Npj Clean Water*, 4(33). <https://doi.org/https://doi.org/10.1038/s41545-021->

00124-3

- Kumar, P., Johnson, B., Dasgupta, R., Avtar, R., Chakraborty, S., Kawai, M., & Macanodog, D. (2020). Participatory Approach for More Robust Water Resource Management: Case Study of the Santa Rosa Sub-Watershed of the Philippines. *Water*, 12(1172). <https://doi.org/10.3390/w12041172>
- Lerner, H., & Berg, C. (2017). A Comparison of Three Holistic Approaches to Health: One Health, EcoHealth, and Planetary Health. *Frontiers in Veterinary Science*, 4(163).
- Lu, R., Zhao, X., Li, J., Niu, P., Yang, B., Wu, H., ... Wan, W. (2020). Genomic characterisation and epidemiology of 2019 novel coronavirus: implications for virus origins and receptor binding. *Lancet*.
- Machalaba, C., Raufman, J., Anyamba, A., Berrian, A. M., Berthe, F. C. J., Gray, G. C., ... Weiss, L. M. (2021). Applying a One Health Approach in Global Health and Medicine: Enhancing Involvement of Medical Schools and Global Health Centers. *Annals of Global Health*, 87(1), 30. <https://doi.org/doi:10.5334/aogh.2647>
- Maxmen, A. (2021). WHO report into COVID pandemic origins zeroes in on animal markets, not labs. *Nature*, 592(7853), 173–174.
- New South Wales Government. (2021). COVID-19 Sewage Surveillance Program.
- O’Callaghan, B., & Murdock, E. (2021). *Are We Building Back Better? Evidence from 2020 and Pathways for Inclusive Green Recovery Spending*. Retrieved from <https://wedocs.unep.org/bitstream/handle/20.500.11822/35281/AWBBS.pdf>
- Our World In Data. (2021). Coronavirus (COVID-19) Vaccinations.
- Panda, B., Chidambaram, S., & Malakar, A. (2021). Survival of SARS-COV-2 in untreated and treated wastewater—a review. *Environmental Resilience and Transformation in Times of COVID-19 – Climate Change Effects on Environmental Functionality*, 89–94. <https://doi.org/https://doi.org/10.1016/B978-0-323-85512-9.00009-7>
- Peros, C. S., Dasgupta, R., Kumar, P., & Johnson, B. A. (2021). Bushmeat, wet markets, and the risks of pandemics: Exploring the nexus through systematic review of scientific disclosures. *Environmental Science & Policy*, 124, 1–11.
- Petrikova, I., Cole, J., & Farlow, A. (2020). COVID-19, wet markets, and planetary health. *The Lancet Planetary Health*, 4, e213–e214. [https://doi.org/10.1016/S2542-5196\(20\)30122-4](https://doi.org/10.1016/S2542-5196(20)30122-4)
- PLATFORM for REDESIGN 2020. (2020). Retrieved from <https://platform2020redesign.org/>
- Raifman, M. A., & Raifman, J. R. (2020). Disparities in the Population at Risk of Severe Illness From COVID-19 by Race/Ethnicity and IncomeNo Title. *American Journal of Preventive Medicine*, 59(1), 137–139.
- Ramanathan, A. L., Chidambaram, S., Jonathan, M. P., Prasanna, M. V., Kumar, P., & Arriola, F. M. (2021). *Environmental Resilience and Transformation in Times of COVID-19: Climate change effects on environmental functionality*. Elsevier.
- Richi, B. E., Baumer, B., Conrad, B., Darioli, R., Schmid, A., & Keller, U. (2015). Health Risks Associated with Meat Consumption: A Review of Epidemiological Studies. *International Journal for Vitamin and Nutrition Research*, 85, 70–78. <https://doi.org/10.1024/0300-9831/a000224>
- Schuftan, C., Legge, D., Sanders, D., & Nadimpally, S. (2014). A manifesto for planetary health. *Lancet*, 383(9927), 1459–1460. [https://doi.org/10.1016/S0140-6736\(14\)60710-8](https://doi.org/10.1016/S0140-6736(14)60710-8)
- Shereen, M. A., Khan, S., Kazmi, A., Bashir, N., & Siddique, R. (2020). COVID-19 infection: Origin, transmission, and characteristics of human coronaviruses. *Journal of Advanced Research*.
- Sudatip, D., Chasiri, K., Kritiyakan, A., Phanprasit, W., Thinphovong, C., Tiengrim, S., ... Oppliger, A. (2021). A One Health approach to assessing occupational exposure to antimicrobial resistance in Thailand: The FarmResist project. *PLoS One*, 16(1). <https://doi.org/10.1371/journal.pone.0245250>
- Takeda, T., Kitajima, M., Huong, N. T. T., Setiyawan, A., Setiadi, T., Hung, D. T., & Haramoto, E. (2020).

- Institutionalising wastewater surveillance systems to minimise the impact of COVID-19: Cases of Indonesia, Japan and Viet Nam. *Water Science and Technology*. Retrieved from <https://doi.org/10.2166/wst.2020.558>
- Tang, X., Wu, C., Li, X., Song, Y., Yao, X., Wu, X., ... Lu, J. (2020). On the origin and continuing evolution of SARS-CoV-2. *National Science Review*.
- The European Space Agency. (2021). Air pollution returning to pre-COVID levels.
- Titimur, R. A. M. (2020). Which Recovery Path May We Pursue. *New Age*.
- UN Environment. (2016). *Global Environment Outlook – GEO-6: Healthy Planet, Healthy People*. Cambridge, United Kingdom.
- Vidarthi, A. K., Parashar, S., Ranjan, P., & Ramanathan, A. L. (2021). Impact of COVID-19 lockdown on real-time DO–BOD variation of river Ganga. In A. L. Ramanathan, C. Sabarathinam, F. Arriola, M. V. Prasanna, P. Kumar, M. P. Sabarathinam, & J. . Chidambaram (Eds.), *Environmental Resilience and Transformation in Times of COVID-19* (pp. 127–134). Elsevier.
- Wagh, C., Lam, S. S., & Sonne, C. (2020). One Health or Planetary Health for pandemic prevention? *Lancet*, 396(10266), 1882. [https://doi.org/10.1016/S0140-6736\(20\)32387-4](https://doi.org/10.1016/S0140-6736(20)32387-4)
- Whitmee, S., Haines, A., Beyrer, C., Boltz, F., Capon, A. G., de Souza Dias, B. F., ... Yach, D. (2015). Safeguarding human health in the Anthropocene epoch: report of The Rockefeller Foundation-Lancet Commission on planetary health. *Lancet*, 386(10007), 1973–2028. [https://doi.org/S0140-6736\(15\)60901-1](https://doi.org/S0140-6736(15)60901-1)
- Willett, W., Rockström, J., Loken, B., Springmann, M., Lang, T., Vermeulen, S., ... Murray, C. (2019). Food in the Anthropocene: the EAT–Lancet Commission on healthy diets from sustainable food systems. *Lancet*, 393. [https://doi.org/10.1016/S0140-6736\(18\)31788-4](https://doi.org/10.1016/S0140-6736(18)31788-4).
- World Health Organization. (2021). Interim statement on COVID-19 vaccine booster doses.
- Wu, F., Xiao, A., Zhang, J., Moniz, K., Endo, N., Armas, F., ... Alm, E. (2021). Wastewater Surveillance of SARS-CoV-2 across 40 U.S. states from February to June 2020. *Water Research*.
- Wu, F., Zhao, S., Yu, B., Chen, Y. M., Wang, W., Song, Z. G., ... Zhang, Y. Z. (2020). A new coronavirus associated with human respiratory disease in China. *Nature*. <https://doi.org/https://doi.org/10.1038/s41586-020-2008-3>
- Zhou, X., & Moinuddin, M. (2021). Impacts and implications of the COVID-19 crisis and its recovery for achieving Sustainable Development Goals in Asia: A review from an SDG interlinkage perspective. In A. L. Ramanathan, C. Sabarathinam, M. P. Jonathan, P. Kumar, F. M. Arriola, & M. V. Prasanna (Eds.), *Environmental Resilience and Transformation in times of COVID-19*. Amsterdam: Elsevier.